MARC SERIALS EDITING GUIDE. Second CONSER Edition

BIMONTHLY UPDATE

May/June 1982

NEWARK PUBLIC LIBRARY

NOV 1 7

U. S. GOVT. PUBS.
DEPOSITORY 376

Prepared under the editorial supervision of the
CONSER Operations Coordinator, Serial Record Division

The attached pages are changes and enhancements to the MARC Serials Editing Guide. Second CONSER Edition. These updated pages replace or supplement appropriate pages in the editing guide. If desired, insert this cover sheet at the end of the guide for reference purposes. Note that in instances in which practices differ for pre-AACR2 records and AACR2 records, examples may be chiefly or entirely for pre-AACR2 records.

All issues available have been filmed. Unfortunately, any scattered missing issues are no longer available.

Distributed by Cataloging Distribution Service

Library of Congress

1982

LC 1.6/4:

MARC Serials Editing Guide. Second CONSER Edition
Bimonthly Update. May/June 1982
(Continued)

Element	Addition, Change, or Deletion		Page No.
Tags 800 & 810	Change:	LC nonuse of subfield "h" indicated (* added); subfield codes "m", "o", and "r" added.	420-421
Tag 830	Change:	LC nonuse of subfield "h" indicated (* added); LC use of subfield codes "m", "o", and "r" implemented (* removed).	423a
Tag 850	Change:	LC use of field implemented (* removed); instructions given.	426
Appendix R	Change:	Instructions to CONSER Participants for handling NSDP records revised.	508

READER FICHE
best copy available

8ØØ-84Ø SERIES ADDED ENTRIES -- GENERAL INFORMATION (Continued)

- International Standard Serial Number:

- Although ISSN may appear in a series statement field, such numbers never appear in a series added entry field.

  - On manuscript sheet:
    (Paper - Canadian Ethnology Service ISSN Ø316-1862)

    I. Series: National Museum of Man. Ethnology Service.
    Paper - Canadian Ethnology Service.

    Input as:
    490 1 Paper - Canadian Ethnology Service ǂx Ø316-1862 ¶
    810 2 National Museum of Man. ǂb Ethnology Service.
    ǂt Paper - Canadian Ethnology Service. ¶

Revised May/June 1982 (6/82)

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODES CODE	LOCKED FIELD CODE	INSTRUCTIONS
800		ß		SERIES ADDED ENTRY - PERSONAL NAME/TITLE	yes	O/M	L	Use this field for a series added entry entered under personal name a) when the series added entry is in a form differing from the series statement or b) when the series is given in a general note (tag 500) or photoreproduction note (tag 532). See also instructions for tags 100 and 400. 490 1 Letters from China - 800 1 Strong, Anna Louise, -d 1885-1970. -t Letters from China. -
	0			Forename only		M/M		
	1			Single surname				
	2			Multiple surname				
	3			Name of family				
			a	Name (surnames and forenames)	no	M/M		
			b	Numeration (roman numerals used in the entry element of a name)	no	M/M		
			c	Titles and other words associated with the name	no	M/M		
			d	Dates (of birth, death, or flourishing)	no	M/M		
			e	Relator	no	M/M		
			f	Date (of a work)	no	M/M		
			* h	Media qualifier	no	M/M		
			k	Form subheading	no	M/M		
			l	Language	no	M/M		
			m	Medium of performance (for music)	no	M/M		
			n	Number of part/section (for music, this may be the serial, opus or thematic number or date used as a number)	yes	M/M		
			o	Arrangement statement (for music)	no	M/M		
			p	Name of part/section (of a work)	yes	M/M		
			r	Key (for music)	no	M/M		
			q	Qualification of name (fuller form)	no	M/M		
			s	Version	no	M/M		
			t	Title (of a work)	no	M/M		
			v	Volume or number	no	M/M		

Revised May/June 1982 (6/82)

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
810		♯		SERIES ADDED ENTRY - CORPORATE NAME/TITLE	yes	O/M	L	Use this field for a series added entry entered under corporate name a) when the series added entry is in a form differing from the series statement or b) when the series is given in a general note (tag 500) or photoreproduction note (tag 533).
	0			Surname (inverted)		M/M		
	1			Place or place and name				
	2			Name (direct order)				
			a	Name	no	M/M		See also instructions for tags 110 and 410.
			b	Each subordinate unit in hierarchy	yes	M/M		
			c	Place (including a name of an institution where conference held)	no	M/M		490 1 Statisti cki bilten - Socijalisti cka Federativna Republika Jugoslavija, Savezni zavod za statistiku -
			d	Date (of conference or meeting/of treaty signing)	yes	M/M		810 1 Yugoslavia. -b Savezni zavod za statistiku. -t Statisti cki bilten. -
			e	Relator	no	M/M		(Added entry already established in earlier form)
			f	Date (of a work)	no	M/M		
			g	Miscellaneous information	no	M/M		
			h	Media qualifier	no	M/M		490 1 FAO nutrition meetings report series -
			k	Form subheading	no	M/M		810 2 Food and Agriculture Organization of the United Nations. -t FAO nutrition meetings report series. -
			l	Language	no	M/M		
			m	Medium of performance (for music)	no	M/M		
			n	Number of part/section/conference (for music, this may be the serial, opus or thematic number or date used as a number)	yes	M/M		500 Vols. for 1950-55 issued as American Academy in Rome. Memoirs. -
			o	Arrangement statement (for music)	no	M/M		810 2 American Academy in Rome. -t Memoirs. -
			p	Name of part/section (of a work)	yes	M/M		(older form)
			r	Key (for music)	no	M/M		
			s	Version	no	M/M		490 1 DHEW publication (NIH) -
			t	Title (of a work)	no	M/M		810 1 United States. -b Dept. of Health, Education, and Welfare. -t DHEW publication. -
			u	Nonprinting subfield	no	M/M		
			v	Volume or number	no	M/M		

	TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	NOTES CODE	LINKED FIELD CODE	INSTRUCTIONS
	810				SERIES ADDED ENTRY - CORPORATE NAME/TITLE (Continued)				- Conversion of retrospective records require that this field conform to the current practice of separating with a period an initial subfield ending in a parenthetical qualifier from a "b," "k," or "t" subfield. - 810 1 New York (State). ǂb Geological Dept. ǂt Report series. ¶ (older form)

Revised Nov./Dec. 1980

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
811		¥		SERIES ADDED ENTRY - CONFERENCE OR MEETING/TITLE	yes	O/M	L	Use this field for a series added entry entered under conference name a) when the series added entry is in a form differing from the series statement or b) when the series is given in a general note (tag 500) or photoreproduction note (tag 533).
	0			Surname (inverted)		M/M		
	1			Place or place and name				
	2			Name (direct order)				
			a	Name of meeting or place element	no	M/M		See also instructions for tags 111 and 411.
			b	Number (of conference or meeting) (used before Jan. 1981)	no	NU		
			c	Place (including a name of an institution where conference held)	no	M/M		490 1 Report series - Louisiana Cancer Conference ¶ 811 2 Louisiana Cancer Conference. ǂt Report series - Louisiana Cancer Conference. ¶
			d	Date (of conference or meeting)	no	M/M		
			e	Subordinate unit in name	yes	M/M		
			f	Date (of a work)	no	M/M		
			g	Miscellaneous information	no	M/M		
			h	Media qualifier	no	M/M		
			k	Form subheading	no	M/M		
			l	Language	no	M/M		
			n	Number of part/section/conference (for music, this may be the serial, opus or thematic number or date used as a number)	yes	M/M		
			p	Name of part/section (of a work)	yes	M/M		
			q	Name of meeting following place element	no	M/M		
			s	Version	no	M/M		
			t	Title (of a work)	no	M/M		
			v	Volume or number	no	M/M		

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDBS CODE	LOCKED FIELD CODE	INSTRUCTIONS
830	⊭			SERIES ADDED ENTRY - UNIFORM TITLE HEADING	yes	O/M	I	Use this field for a series added entry entered under uniform title.
		Ø to 9		Nonfiling characters		M/M		
			a	Uniform title heading	no	M/M		Second indicator The second indicator is used to specify the number of characters at the beginning of the field to be omitted when sorting. The blank following the initial article must be included in this count. If diacritics occur before the first significant word of the title, they must also be included in this count. 830 Ø International series of numerical mathematics. = 830 Ø English linguistics, 1500-1800. = 830 Ø Etudes et documents tchadiens. =n S´erie B. =
			d	Date (of treaty signing)	yes	M/M		
			f	Date (of a work)	no	M/M		
			g	Miscellaneous information	no	M/M		
			* h	Media qualifier	no	M/M		
			k	Form subheading	no	M/M		
				Language	no	M/M		
			m	Medium of performance (for music)	no	O/M		
			n	Number of part/section (for music, this may be the serial, opus or thematic number or date used as a number)	yes	M/M		
			* o	Arranged statement (for music)	no	O/M		
			p	Name of part/section (of a work)	yes	M/M		
			* r	Key (for music)	no	O/M		
			s	Version	no	M/M		
			t	Title (of a work)	no	M/M		
			v	Volume or number	no	M/M		

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
84Ø				SERIES ADDED ENTRY - TITLE (Continued)				Whenever a series added entry consists of two elements, the first of which is a title, treat as a single series title added entry and do not insert a delimiter between the two entries. 84Ø Ø Better homes and gardens. Holiday cookbook series. ¶ 84Ø Ø 'Elites et responsabilit'es. Journ'ees d''etudes. ¶

Revised May/June 1982 (6/82)

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDBS CODE	LOCKED FIELD CODE	INSTRUCTIONS
850	ⱥ	ⱥ		HOLDINGS	yes			This field is used to carry NUC symbols for institutions reporting to New Serial Titles. 850 AAP ǂa CU ǂa DLC ǂa MiU ǂ Input to this field is restricted to CONSER participants and the staff of NST. The NUC location symbols are arranged alphabetically in repeatable "a" subfields with no 850 field having more than 20 symbols. Beyond 20 symbols, repeatable 850 fields are used, maintaining a continuous alphabetic sequence. Note: The print program used for NST cannot handle more than 31 symbols in a single 850 field. Consequently, the limit of 20 symbols to a field has been placed in order to ensure that there will be no danger of exceeding, by accident, the 31 symbol limit. The institutions represented by NUC symbols can be found in Symbols of American Libraries.
			a	Reporting library symbol (NUC symbol)	yes			
			* b	Holdings	no			
			* d	Inclusive dates	no			
			* e	Retention statement	no			

- APPENDIX Q - MISCELLANEOUS INFORMATION

1. Map Records.

Library of Congress map records should only be input as a serial if they contain the word "MAP" in the lower right hand corner of the printed card, below the card number. (The "MAP" category includes atlases, sets of maps, and pre-1969 specially chosen sheet maps.)

Items containing the word "MAPS" in the lower right hand corner of the printed card should not be input as serials. (The "MAPS" category includes all sheet maps processed through MARC.)

2. "Stamp" or "Excl." Designations.

An LC manuscript sheet may have a "stamp" or "excl." designation next to certain added entries. In such situations, ignore the designation and code the added entries as usual.

Example:
(on manuscript sheet):

Stamp { 1. Japan--Economic conditions--1945- --Periodicals.
I. Title.

Input as:

651 ∅ Japan ǂx Economic conditions ǂy 1945- ǂx Periodicals. ¶

3. Copyright Number.

Do not input copyright numbers (e.g., Copyright A 29724) recorded on some older printed cards. These numbers are found in the lower left hand corner, below the Library of Congress legend.

4. Full Name Notes.

Some older records have Full Name, Secular Name, or Name Originally notes recorded on the lower right hand side of the card, between the tracings and the card number. These notes are not to be input.

Example:
1. London--Descr. I. Title.
[Full name: William Richard Gladstone Kent]
37-28551

5. Spacing of the Abbreviation U.S.

Whenever the abbreviation U.S. appears in bibliographic data (other than in Canadian name headings or titles), the abbreviation should be input without spaces.

Example: 55∅ 1 Numbers ⟨4/72-5/72⟩ prepared by U.S. Geological Survey in cooperation with U.S. Dept. of the Army, Corps. of Engineers. ¶

APPENDIX R - HANDLING UNLOCKED RECORDS AUTHENTICATED BY NSDP (Instructions for CONSER Participants)

I. Prepublication Records

These records are identified by the following data elements:

- 263 (Projected Publication Date)
- 936 (Dates or Vol. Designations of Pieces Used for Cataloging) — field contains "PREPUB: publication expected /date/"

These records are to be updated or changed by NSDP only. CONSER participants wishing to add, change, or delete any fields or data elements in such records should

- send a surrogate (preferably of the first issue) accompanied by a CONSER modification request form directly to NSDP
- indicate on the modification request form any fields or data elements not directly derivable from the surrogate, e.g., subject headings, NUC codes for NST reports, etc.
- mark "PREPUB" prominently in the upper right corner of the form

Such modification requests receive very rapid processing and will normally be completed within two days of receipt by NSDP.

II. Other Records

A. Elements which should not be added, changed, or deleted in unlocked records authenticated by NSDP:

Fixed Field Data Elements

008, char. pos. 6 (Publication Status Code)
7-10 (Beginning Date of Publication)
11-14 (Ending Date of Publication)
15-17 (Country of Publication Code)
18 (Frequency)
20 (ISDS Center Code)
21 (Type of Serial Designator)
34 (Original Alphabet of Title)
35-37 (Language Code)

Variable Fields

010 (Library of Congress (LC) Card Number)
012 (Terminal Display (LC, NLC, and NSDP local use))
022 (International Standard Serial Number (ISSN))
032 (Postal Registration Number)
035 (Local System Number) — the USPS number only
042 (Authentication Center)
222 (Key Title)
250 (Edition Statement)
260 (Imprint)

B. The following variable fields may be added if they are not present but if present, should not be changed or deleted.

030 (CODEN Designation)
210 (Abbreviated Title)
212 (Variant Access Title)
760-787 (Linking Entries)

M.18/4Update
982/4

MARC SERIALS EDITING GUIDE. Second CONSER Edition

BIMONTHLY UPDATE

July/August 1982

Prepared under the editorial supervision of the
CONSER Operations Coordinator, Serial Record Division

The attached pages are changes and enhancements to the MARC Serials Editing Guide. Second CONSER Edition. These updated pages replace or supplement appropriate pages in the editing guide. If desired, insert this cover sheet at the end of the guide for reference purposes. Note that in instances in which practices differ for pre-AACR 2 records and AACR 2 records, examples may be chiefly or entirely for pre-AACR 2 records.

NEWARK PUBLIC LIBRARY

MAR 1 8 1983

U. S. GOVT. PUBS.
DEPOSITORY 376

Distributed by Cataloging Distribution Service

Library of Congress

1982

LC1.6/4:

MARC Serials Editing Guide. Second CONSER Edition
Bimonthly Update. July/August 1982

Element	Addition, Change, or Deletion		Page No.
Introduction	Addition:	Updates noted for documents upon which revisions to editing guide are based.	xi
Leader, char. pos. 17	Change:	Comment about NLC partial records expanded.	5
Tag ØØ7	Addition:	Comment added for subfield "c" (byte 2).	13b
Tag ØØ8, char. pos. 19	Deletion:	Example for "Frequency varies" deleted.	37
Tag Ø1Ø	Change:	Note at top of page rephrased.	69
Tag Ø34	Change:	Field not input by LC (* added).	98b
	Addition:	Indications of repeatability added.	
	Change:	Reference in instructions to flat maps and globes removed.	
Tag Ø4Ø	Addition:	Comment about content of Ø4Ø‡a in originally created NST records added.	109
Tag Ø41	Addition:	Subfield code "h" added.	113
Tag Ø42	Change:	Introductory phrase revised.	123
Tag Ø5Ø	Addition:	Subfield code "u" added.	131
	Addition:	Comment on newspaper call numbers added.	137
	Addition:	Comment on revised partial call numbers added.	
	Deletion:	Note about presence of Ø5Ø field removed.	138a
	Change:	Examples in item 19 corrected.	140
Tag Ø55	Change:	Name of field changed.	143

Element	Addition, Change, or Deletion	Page No.
Tag Ø72	Change: Major revisions made to field.	150
Tag Ø86	Addition: Comment and example added to instructions.	158
Tag Ø92	Addition: First indicator codes, a subfield code, and an example added.	162

INTRODUCTION (Continued)

10) Gates, Barbara Ann. Serials Cataloged for the Ohio College Library Center System: a Manual. Rev. ed. Richardson, Tex., AMIGOS Bibliographic Council, July 1976.

11) "Fixed and Variable Field Tags for Serial Records Used in the OCLC System," OCLC, Inc. Technical Bulletin. no. 37 (Apr. 14, 1978)

Revisions are based on the following documents:

1) United States. Library of Congress. Automated Systems Office. MARC Formats for Bibliographic Data. Washington, Automated Systems Office, Library of Congress, 1980.

-- Update no. 1, October 1980
-- Update no. 2, March 1981
-- Update no. 3, June 1981
-- Update no. 4, September 1981
-- Update no. 5/6, December 1981/March 1982

2) Serials Format. OCLC, Inc., 1980. (Its On-line System, C80-4)

-- Revision no. 1, June 1981

3) Technical Bulletin. OCLC, Inc.

-- No. 107, Changes in ØØ7 and "Accompanying Material" Codes, July 1981.
-- No. 108, Changes to Bibliographic Formats: MARC Update No. 1, Aug. 1981.
-- No. 112, Changes to Bibliographic Formats: MARC Update No. 2, Sept. 1981.
-- No. 115, Changes to Bibliographic Formats: MARC Update No. 3, Feb. 1982
-- -------- revision, March 1982.
-- No. 117, Changes to Bibliographic Formats: MARC Update No. 4, Aug. 1982.

This guide was prepared by Phyllis A. Bruns of the Serial Record Division. (Exception: Information on the Canadian 9XX fields was provided by Mary Joan Dunn, Head, Library Systems Analysis Section, National Library of Canada.) Ms. Bruns also was responsible for editing the publication.

In addition to Ms. Dunn, the author/editor would particularly like to thank:
Josephine S. Pulsifer, Special Assistant for Automation of Technical Processing, Library of Congress, who answered the more difficult questions involving the serials format, read and commented on drafts of some of the more difficult fields in this publication, and also assisted with some of the over-all editing aspects of the guide.

Dorothy J. Glasby, CONSER Operations Coordinator, Library of Congress, who answered cataloging questions and who assisted in assuring that information in this guide, particularly in the linking entry area, was consistent with over-all CONSER practices.

Wayne Taylor, Head of the Serials Section, National Library of Canada until April 1978, who furnished information and answered questions pertaining to NLC's cataloging and editing practices.

Margaret Sarver, User Documentation Specialist, OCLC, Inc., who answered questions pertaining to OCLC's specific local fields and to the OCLC system in general.

Also a very special thank you to:
Jean H. Harrison and Phyllis M. Martin, both of the Serial Record Division, Library of Congress, who did the original typing of the camera-ready copy.

Subscription/purchasing information as well as subscription orders should be directed to: Customer Services Section, Cataloging Distribution Service, Library of Congress, Washington, D.C. 20541 (Telephone no.: 202 287-1306)

Revised July/Aug. 1982 (12/82)

	TAG	CHAR. POS.	CODE	NAME	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
				LEADER (Continued)			Sublevel "1" indicates that the record fulfills the MDES, but that the cataloging data was taken from existing records without consultation of an issue of the serial. Level "1" must be input on the terminal. Level "1" records are incomplete in that certain fixed and variable field information cannot be known without the serial in hand. (See Appendix H.) Level "1" records may be updated to level "ϐ" records by verifying and completing the record in consultation with an issue of the serial.
		17		Encoding Level (Continued)			Sublevel "5" on an LC record indicates a "partial" record containing full LC descriptive cataloging information, but lacking LC call number, LC copy statement, LC subject headings, Dewey Decimal Classification Number, geographic area code, and form of content codes. LC changes level "5" to level "ϐ" when it supplies the remaining cataloging data. LC partial records have the letters "PAR" in field ϐ5ϐ.
							NLC partial records contain all information normally provided in a full catalog record except for subject headings and NLC call number and/or class number; however, pre-AACR 2 records also lack geographical area code, form of contents codes and Dewey Decimal Classification Number.
							Sublevel "7" indicates a record containing preliminary cataloging information. The salient feature of records with encoding level "7" is that full LC authority work has not been performed, i.e., new headings have not been formally established. For these records, if an established form of heading exists in the Name Authority file, it is used. If one does not exist, the heading created is in accordance with AACR 2 prescriptions and is modeled on established headings of a like nature.
							Encoding level "7" is used in the originally created records which carry "nsdp", "nst", or "msc" in field ϐ42. Records

	TAG	CHAR. POS.	CODE	NAME	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
				LEADER (Continued)			
		17		Encoding Level (Continued)			originally created by NSDP prior to March 1, 1982 carry encoding level "I", which is machine converted to "ϐ" prior to distribution of the record by LC. CONSER participants should change the encoding level to "I" upon updating the record to full level. Sublevel "8", indicating a CIP record is reserved for future use. NOTE: Values "ϐ", "1", "5", "7", and "8" are only to be input by LC and NLC. Records authenticated by LC and NLC should always carry an encoding level of "ϐ", "1", "5", or "7". NLC code Level "Ø" is used only for input from NLC to OCLC and output from OCLC to NLC. For display and for output from OCLC to LC and distribution by LC, level "Ø" is converted to "ϐ". Value "Ø" is not part of the MARC serials communications format. OCLC codes OCLC levels "I", "K", "L", and "O" occur only in displays of OCLC and/or unauthenticated records. The codes are not part of the MARC serials communications format and records containing such codes are not output to LC nor distributed by LC. OCLC level "I" is a "full" level record according to OCLC specifications. CONSER participants other than authenticating agencies should use this code when a new or upgraded

	TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODES CODE	LOCKED FIELD CODE	INSTRUCTIONS
	007				PHYSICAL DESCRIPTION FIXED FIELD (Continued)				
				a	General Material Designation (GMD) (byte 0)	no			
					h Microform				The only GMD appropriate for serials is code "h", microform.
				b	Specific Material Designation (SMD) (byte 1)	no			
					a Aperture card b Microfilm cartridge c Microfilm cassette d Microfilm reel e Microfiche f Microfiche cassette g Microopaque z Other microform				
				c	Original Versus Reproduction Aspect (byte 2)	no			The usefulness of this byte is being questioned. A fill character should be used in this position until the usefulness of the byte is ascertained.
					f Facsimile o Original r Reproduction u Unknown				
				d	Polarity (byte 3)	no			
					a Positive b Negative m Mixed polarity u Unknown				

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
ØØ7				PHYSICAL DESCRIPTION FIXED FIELD (Continued)				
			e	Dimensions (byte 4) For microfilm: a 8 mm. d 16 mm. f 35 mm. g 7Ø mm. h 1Ø5 mm. For microfiche or microopaque: ℓ 3x5 in. OR 8x13 cm. m 4x6 in. OR 1Øx15 cm. o 6x9 in. OR 16x23 cm. For aperture cards: p 3-1/4 x 7-3.8 in. OR 9x19 cm. For any microform: u Unknown x Other				

TAG	CHAR. POS.	CODE	NAME	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
ØØ8			FIXED FIELD DATA ELEMENTS (Continued)			
	19		Regularity (Continued)			- When value "z" (other frequencies) is used in character position 18, character position 19 should be coded according to what is present in field 31Ø. If a specific frequency is given in field 31Ø, value "r" should be input in character position 19 unless "n" or "x" apply. If no specific frequency is given in field 31Ø, input value "x" in character position 19. - 31Ø Quinquennial ¶ char. position 18: z char. position 19: r - 31Ø Bimonthly, with the last issue being cumulative for the year ¶ char. position 18: b char. position 19: r 31Ø Monthly, with an annual cumulation ¶ char. position 18: m char. position 19: n Alsc see the instructions given for character position 18 (frequency). When coding a regular-print reprint or photoreproduction item, base this value on the regularity of the reprint or photoreproduction item; not on the regularity of the original.

Revised Nov./Dec. 1980
Revised Jan./Feb. 1980

	TAG	CHAR. POS.	CODE	NAME	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
	008			FIXED FIELD DATA ELEMENTS (Continued)			
+		20		ISDS Center Code	O/M	L	This element indicates the ISDS center responsible for assigning the ISSN and key title to the record and is normally input only by an ISDS center. If not input, this element defaults to value "¥."
			¥	No ISDS center code assigned			
			ø	International Center (Paris)			- Displayed on the terminal screen as ISDS:
			1	United States			
			* 2	United Kingdom			NSDP uses code "z" instead of codes "2," "3," "5-9" and alphabetics.
			* 3	Australia			
			4	Canada			
			* 5	Moscow Regional Centre			
			* 6	Federal Republic of Germany			
			* 7	France			
			* 8	Argentina			
			* 9	Japan			
			a	Finlend (used before Jan. 1981)	NU		
			b	Yugoslavia (used before Jan. 1981)	NU		
			c	Tunisia (used before Jan. 1981)	NU		
			d	Italy (used before Jan. 1981)	NU		
			e	Nigeria (used before Jan. 1981)	NU		
			f	Sweden (used before Jan. 1981)	NU		
			g	New Zealand (used before Jan. 1981)	NU		
			h	Denmark (used before Jan. 1981)	NU		
			i	Austria (used before Jan. 1981)	NU		
			j	Philippines (used before Jan. 1981)	NU		
			k	Brazil (used before Jan. 1981)	NU		
			l	Colombia (used before Jan. 1981)	NU		
			m	Uruguay (used before Jan. 1981)	NU		
			n	Ireland (used before Jan. 1981)	NU		
			p	Thailand (used before Jan. 1981)	NU		
			r	Norway (used before Jan. 1981)	NU		
			u	Unknown			
			z	Other ISDS center			

Revised July/Aug. 1982 (12/82)

	TAG	CHAR. POS.	CODE	NAME	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
	Ø1Ø			LIBRARY OF CONGRESS (LC) CARD NUMBER (Continued)			NOTE: Whenever an access point is added, changed, or deleted in an authenticated record which carries an LC printed card number in field Ø1Ø, an indication that a revision has been made should be given by adding to the card number: 1) a lowercase "r" 2) two numbers which stand for the last 2 digits of the year in which the revision is being made (e.g., r77) 3) a number indicating the number of times the item has been revised (if greater than one). Access points are defined as the following fields: Ø1Ø, Ø22, Ø5Ø, Ø51, Ø82, 1XX, 222, 24Ø, 245, 246, 247, 4XX, 6XX, 7XX (including 76Ø-787), and 8XX. Examples: 1) Card number of earlier record being revised: 48-63532 Record being revised in 1977: Ø1Ø 48-63532//r77¶ 2) Card number of earlier record being revised: 32-33756 [r67] Record being revised in 1977: Ø1Ø 32-33756//r772¶ 3) Card number of earlier record being revised: 3-14557 rev 3 [r52x315] Record being revised in 1977: Ø1Ø Ø3-14557//r774¶

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø1Ø				LIBRARY OF CONGRESS (LC) CARD NUMBER (Continued)				B. Interim System (7 series) (In use from Dec. 1968 through Jan. 1972): 1. There are no alphabetic prefixes. - 2. "Alphabetic identifiers." a. The following are valid alphabetic identifiers for serials: A - printed from copy supplied by other libraries AC - Annotated card AM - Amharic C - Chinese HE - Hebrew J - Japanese K - Korean M - Music MAP- Atlases, sets of maps, pre-1969 specially chosen sheet maps MN - Serials on music NE - Near East SA - South Asian - On the printed card or manuscript sheet, these symbols appear below the card number on the same slug as the "Library of Congress" legend. Library of Congress 7Ø-7575Ø MN b. When inputting alphabetic identifiers, 1) Separate alphabetic identifiers from the last numeral of the card number by one slash. Ø1Ø 7Ø-7575Ø/MN ‡a

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODES CODE	LOCKED FIELD CODE	INSTRUCTIONS
*034		♭		CODED MATHEMATICAL DATA	yes	C/M	A	This field is used for mathematical data codes that are an important access point for cartographic materials. The codes are based on data recorded in field 255, mathematical data field.
	0			Scale indeterminable/no scale recorded				
	1			Single scale				
	2			Multiple scales				
	3			Range of scales				
			‡a	Category of scale	no			For atlases, if a single scale is used, the first indicator is set to "1" and the denominator of the representative fraction is recorded in subfield ‡b. If there are two or more scales, each is recorded in a separate subfield ‡b with the first indicator set at "2". If multiple or varying scales are recorded as a range, the smaller denominator is recorded first, the larger second, each in a separate subfield ‡b, and the first indicator is set at "3".
			a	Linear scale				
			b	Angular scale				
			z	Other (e.g., time scale, quantitative statistical scale)				
			‡b	Constant ratio linear horizontal scale	yes			
			‡c	Constant ratio linear vertical scale	yes			
			‡d	Coordinates - westernmost longitude	no			The coordinates are recorded in subfields ‡d, ‡e, ‡f and ‡g in the form "HDDDMMSS" where "H" represents the hemisphere "W", "E", "N" or "S". "DDD" represents degrees, "MM" represents minutes and "SS" represents seconds. The degree, minute and second elements are each right justified with leading zeros.
			‡e	Coordinates - easternmost longitude	no			
			‡f	Coordinates - northernmost latitude	no			
			‡g	Coordinates - southernmost latitude	no			
			‡h	Angular scale	yes			For celestial charts, the scale (if known, and once the form of recording has been determined) is recorded in subfield ‡h. The declination is recorded in subfield ‡j and ‡k (if declination of center is known, it is repeated in both subfields) in the form "HDDDMMSS", where "H" represents the hemisphere "N" or "S", "DDD" represents degrees, ""MM" minutes, and "SS" seconds. The degree, minute and second elements are each right justified with leading zeros. (Note that on the display of declination information, the
			‡j	Declination - northern limit	no			
			‡k	Declination - southern limit	no			
			‡m	Right ascension - eastern limit	no			
			‡n	Right ascension - western limit	no			
			‡p	Equinox	no			

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODS CODE	LOCKED FIELD CODE	INSTRUCTIONS
034				CODED MATHEMATICAL DATA (Continued)				Northern hemisphere designation is usually given as a plus sign (+) and the Southern hemisphere designation is usually given as a minus sign (-).] The right ascension is recorded in subfield ǂm and ǂn (if right ascension of center is known, it is repeated in both subfields) in the form "HHMMSS", where "HH" represents hours, "MM" represents minutes and "SS" represents seconds. The hour, minute, and second elements are each right justified with leading zeros. The equinox is recorded in subfield ǂp in the form "YYYY" where "YYYY" is the year according to the Gregorian calendar. If the coordinates for a map or plan are given in terms of a center point rather than outside limits, the longitude and latitude which form the central axis are recorded twice (in subfields ǂd and ǂe and in ǂf and ǂg respectively). *[034]* 1#ǂaaǂb253440ǂdE0790000ǂeE0860000ǂfN0200000 ǂgN0120000 NOTE: Flat maps or flat maps in atlases *[034]* 0#ǂabǂjN0300000ǂkN0300000ǂmØ21800ǂnØ21800 NOTE: Celestial chart or celestial charts in atlases *[034]* 1#ǂaaǂb32000ǂdW0974800ǂeW0971500ǂfN0414500 ǂgN0411500 NOTE: Atlas

	TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDBS CODE	LOCKED FIELD CODE	INSTRUCTIONS
	Ø4Ø				CATALOGING SOURCE (Continued)				Note: When using ØØ8, character position 39, a user is advised to input both that element and subfield "a" in all but the most straight forward circumstances (such as cataloging by DLC or by the inputting library itself). g. A symbol is not supplied in subfield "a" of field Ø4Ø for records originally created for New Serial Titles. The NST section is not a cataloging agency. Additionally, information in the records may be acquired from several sources. Character position 39 carries the code "n" for records created originally for NST. h. Other Examples: 1) Yale transcribes LC copy. Options: a. Explicitly input a "ß" in character position 39. The system automatically generates the symbol "DLC" in Ø4Ø‡a. b. Explicitly input a "ß" in character position 39. Explicitly input the symbol "DLC" in Ø4Ø‡a. c. Explicitly input the symbol "DLC" in Ø4Ø‡a. The system changes value "u" in character position 39 to "ß". 2) Yale inputs original (non-LC) cataloging. Options: a. Explicitly input a "d" in character position 39. The system automatically generates the OCLC symbol "YUS" in Ø4Ø‡a.

	TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODES CODE	LOCKED FIELD CODE	INSTRUCTIONS
	Ø4Ø				CATALOGING SOURCE (Continued)				b. Explicitly input a "d" in character position 39. Explicitly input the OCLC symbol "YUS" or the NUC symbol "NIC" in Ø4Ø‡a. c. Explicitly input the OCLC symbol "YUS" in Ø4Ø‡a. The system changes value "u" in character position 39 to "d".

3. Subfield "d"
Subfield "d" is used to specify any modifying agencies.

a. When LC cataloging data is modified in any way before or upon initial transcription, the code of the modifying agency must be input explicitly in subfield "d". Upon further modification, the system will automatically set the code of the inputting agency in an additional subfield "d".

Boston Theological Institute transcribes LC copy and also updates some of the data:

Character position 39 is explicitly changed to "b".
Subfield "a" of Ø4Ø is left blank.
Subfield "c" of Ø4Ø is set by the system to the OCLC symbol "BTI".
The OCLC symbol "BTI" is explicitly input in subfield "d" of Ø4Ø.
The system generates the symbol "DLC" in Ø4Ø‡a at the time of update.

Ø4Ø DLC ‡c BTI ‡d BTI ¶

Revised July/Aug. 1982 (12/82)

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø41		Ø		LANGUAGES	no	M/M	C	Use this field for the language of the text of a serial, i.e., the principal work or works included within the publication (excluding the preface, introduction, foreward, appendices, etc.).
	Ø			Item is not a translation or does not include a translation		M/M		
	1			Item is or includes a translation				
			a	Language code of text/soundtrack or separate title	no	M/M		This field is used in addition to fixed field character positions 35-37 when any of the following conditions exist: a. the language of the text is multilingual, b. the serial is a translation, c. the language of the summaries or abstracts (if any) differs from the language of the text, d. the language of the table of contents differs from the language of the text.
			b	Language code of summary or abstract	no	P/M		
			*f	Language code of table of contents	no	O/M		
			h	Language code of original and/or intermediate translations of text				NOTE: This field is encoded in addition to any language note in field 546. NOTE: Whenever this field is used, the first language code in subfield "a" should always be the same as the code in ØØ8, character positions 35-37. Each language is represented by a three character lowercase alphabetic code as given in the Revised List of Languages and Language Codes (see footnote under tag ØØ8, char. positions 35-37). 1. If only one language is associated with the work: a. Input the language code in ØØ8, character positions 35-37.

	TAG	CHAR. POS.	CODE	NAME	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
	Ø41			LANGUAGES (Continued)			- 2. Multilingual work: If the text is in more than one language - a. Input in char. positions 35-37 the code for the predominant language. If the predominance is not readily apparent, input the code for the language that is first in alphabetic order. (Exception: For Canadian bilingual publications in the French language, identified by the prefix "cf" in field Ø1Ø, input code "fre" rather than "eng" in the fixed field element.) - b. Record all the specific language codes in Ø41‡a. If the serial is chiefly in one language, record the predominant language first. Otherwise, record the languages in alphabetic order. (Exception: For Canadian bilingual publications in the French language, input code "fre" first, then code "eng.") - 546 Chiefly in Russian; some also in English. ¶ Ø41 Ø ruseng ¶ - char. positions 35-37: rus - 546 German and Russian. ¶ Ø41 Ø gerrus ¶ - char. positions 35-37: ger

Revised July/Aug. 1982 (12/82)

TAG	IND1-CATOR 1	IND1-CATOR 2	SUBFIELD CODE	NAME	REPEAT-ABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø42				AUTHENTICATION CENTER (Continued)				The Library of Congress has the following special codes: lcd - designates records for which only the descriptive cataloging portion of the record has been authenticated. When LC's subject information and classification numbers are authenticated, "lcd" is replaced by "lc". msc - designates a minimal-level cataloging record which has been authenticated. Subject headings are not assigned and authority work is not done for these records. An original "msc" record has these characteristics: 1. Encoding level "7" (leader, char. pos. 17) 2. LC card number with "sn" prefix (field ØlØ) 3. Shelf location or disposition decision (e.g., "Discard") (field Ø5Ø). Code "msc" is not removed when another authentication agency code is added. nst - designates a record contributed to New Serial Titles by a reporting library which has been authenticated by the NST section. Additional bibliographic research is not done nor is authority work done for these records. The cataloging data will only be as accurate as the reporting library has made it. An original "nst" record has these characteristics: 1. Source code "n" (ØØ8 char. pos. 39) 2. Encoding level "7" (leader, char. pos. 17)

TAG	IND1-CATOR 1	IND1-CATOR 2	SUBFIELD CODE	NAME	REPEAT-ABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø42				AUTHENTICATION CENTER (Continued)				3. LC card number with "sn" prefix (field Ø1Ø) 4. Holdings of reporting institutions (field 85Ø). Upon subsequent higher-level authentication, the code "nst" will be replaced by the new code ("lc", "nsdp", etc.). A record is locked from further online modification by a CONSER participant when any of these codes appear in field Ø42: "lc", "lcd", "nlc", "gpo". For information on how to handle unlocked records authenticated by NSDP, consult Appendix R. When a record is authenticated by more than one authenticating agency (e.g., the National Library of Canada for the cataloging data and ISDS/Canada for the ISDS elements), the subfield is repeated. Ø42 nlc ǂa isds/c ǂ¶ Situations can occur where one center considers the item to be a serial and another does not. Consequently a mix of authentication/rejection codes may be recorded. Ø42 nsdp ǂa xlc ǂ¶ Ø42 msc ǂa xnsdp ǂ¶ Records with an Ø42 field are output by OCLC to LC. Records having a code of "lc", "lcd", "msc", "nst", "nsdp", "gpo", "nlc", or "isds/c" (alone or in combination with other codes) are distributed by the MARC Distribution Service - Serials.

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø5Ø		Ø		LC CALL NUMBER	yes	R/M	L	This field may contain a. A complete LC call number. b. An LC classification number, either with or without brackets. c. A complete LC call number accompanied by an alternate class number (enclosed within brackets). d. The word "LAW", either with or without brackets. e. The word "Newspaper", either with or without brackets. f. A pseudo LC call number ("PAR" or "UNC"). g. The words "NOT IN LC". h. A disposition decision, e.g., "DISCARD". i. A shelf number. This field is to contain only official LC call numbers, classification numbers, or pseudo LC call numbers actually assigned by LC. The number must be transcribed exactly as found on an LC card or NUC entry. Any modification of an LC call number or any class number assigned by a participant using LC classification schedules must be input in field Ø9Ø. 1. First indicator Set the first indicator to "1" when the serial is not in LC. The following conditions indicate that the serial is not in LC: a. An LC class number by itself is enclosed in brackets. b. A complete LC call number is enclosed within brackets (occurs infrequently). When brackets are present they should not be input. The brackets may be supplied on output via a user's print program. Ø5Ø 1 QL336¶
	Ø			Serial in LC		M/M		
	1			Serial not in LC		M/M		
			a	LC classification number	yes	M/M		
			b	Book number	no	R/M		
			u	Custody, permanent (LC local use).				

	TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MFHD CODE	LOCKED FIELD CODE	INSTRUCTIONS
	Ø5Ø				LC CALL NUMBER (Continued)				- NOTE: When a call number occurs within parentheses, and a Maltese Cross ✠ is the first character after the open parenthesis (an indication that the publication has been withdrawn from the LC collections), a. Input the call number but not the parentheses and Maltese Cross. b. Set the first indicator to "1." Brackets may be supplied on output via a user's print program. c. Be sure to delimit the book number portion. - Unedited data: (✠ DA112.G82) Input as: Ø5Ø 1 DA112 ǂb .G82 ¶ - In all other instances, the first indicator should be set to "Ø" (serial in LC). 2. The delimiter precedes the last capital letter in the call number except when the last capital is preceded by a period. In the latter instance the delimiter precedes the period. - Ø5Ø Ø HF5314.V52 ǂb U54 ¶ - Ø5Ø Ø ML5 ǂb .E5683 ¶ - Ø5Ø Ø Z673.L7 ǂb Y ¶ - Ø5Ø Ø JX1974.7 ǂb .M5 ¶ - Ø5Ø Ø HF5549.5.R44 ǂb M35 ¶

Revised July/Aug. 1982 (12/82)

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDBS CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø5Ø				LC CALL NUMBER (Continued)				14. "Newspaper" tagged the same as call number (input with the first letter capitalized). Ø5Ø Ø Newspaper ¶ The presence of this word indicates that the item is considered a newspaper within LC. Some newspaper call numbers include a control number. In such cases, subfield "a" contains the word "newspaper" and the control number. Ø5Ø Ø Newspaper 7225-X ¶ 15. Pseudo call numbers are used by LC in subfield "a" of this field in two situations: a. PAR. Three uppercase letters "PAR" (partial record) are input when the record is an LC partial record, i.e., the encoding level (Leader, char. position 17) is set to "5." Such letters indicate that descriptive information exists; however, the LC call number has not been assigned as yet. The first indicator in the Ø5Ø field should always be set to "Ø." A true LC card should also always be present. Ø1Ø 74-644Ø77 ¶ Ø42 lc ¶ Ø5Ø Ø PAR ¶ Leader, char. position 17: 5 If modifications are made to such records before they are upgraded to full level cataloging (i.e., while the encoding level is still "5"), the pseudo call number is changed to "REV PAR" (revised partial).

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø5Ø				LC CALL NUMBER (Continued)				When the LC call number and other subject and, in some instances, a Dewey Decimal Classification Number, is later available, such information is added and the record upgraded to a full level record, i.e., the encoding level (Leader char. position 17) is changed to "b" or "1." After the encoding level has been manually upgraded to value "ß," the OCLC system automatically sets the record status (Leader, char. position 5) to value "a" (previously partial record). Ø1Ø 74-644Ø77 ¶ Ø42 lc ¶ Ø5Ø Ø HV1 ǂb .J63 ¶ Leader, char. position 17: ß Leader, char. position 5: a b. UNC. Three uppercase letters "UNC" (uncataloged) are input whenever 1) LC holds the serial (i.e., there is an entry in LC's Official Catalog) but there is no printed card (or card number) and 2) no true call number has been assigned. The letters "UNC" indicate the fact that no LC call number has been assigned to such records. Items which may fall into this "uncataloged" or "unclassified" category include: form card cataloging for which no call number was assigned, technical report form card cataloging, temporary cataloging for which no call number was assigned, and monographic series that are classified separately in LC. The first indicator should always be set to "Ø." The LC card number for such records should always begin with the prefix "sf." Ø1Ø- sf76-564 ¶ Ø5Ø Ø UNC ¶

Revised July/Aug. 1982 (12/82)

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø5Ø				LC CALL NUMBER (Continued)				16. "NOT IN LC" The uppercase words "NOT IN LC" are input when transcribing data from LC cooperative cataloging copy and no LC call number is present. The first indicator in the Ø5Ø field should always be set to "1". A true LC card number should always be present. Ø1Ø gs46-155 ¶ Ø5Ø 1 NOT IN LC ¶

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø5Ø				LC CALL NUMBER (Continued)				17. Call Numbers or Classification Numbers on Cooperative Catalog Cards - a. If LC later catalogs a serial for which a cooperative catalog card already exists. the card is reprinted and one of the elements added is an LC call number or classification number. Input such numbers found on co-operative catalog copy in field Ø5Ø. - Data on printed card: TA462.I4 Illinois. Univ. Library for Library of Congress Input as: Ø5Ø Ø TA462 ǂb .I4 ¶ Ø4Ø Illinois. Univ. Library ǂc DLC ¶ - b. Instances may occur where a classification number or call number appears after the name of the contributing institution in the legend area. Such numbers should not be input into machine-readable form. - Data on printed card: Brown Univ. Library BL453 for Library of Congress Input as: Ø4Ø Brown Univ. Library ǂc MUL ¶ (the classification number "BL453" not input)

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø5Ø				LC CALL NUMBER (Continued)				Exception: When the contributing library is the National Agricultural Library or the National Library of Medicine and a classification or call number is supplied after the name of the library in the legend area, treat such numbers as a separate field and tag them as Ø7Ø (National Agricultural Library call number) or Ø6Ø (National Library of Medicine call number), whichever is applicable. 18. Microform Call Numbers Subfield "a" contains the spelled out word for the type of microform, followed by one space, and then the control number. In the case of fiche, the control number is actually an LC class number. In the case of film, the control number sometimes includes at the end one or more letters of an LC class. Ø5Ø Ø Microfiche D839.3¶ Ø5Ø Ø Microfilm Ø5Ø3ØPC¶ 19. Disposition Decisions Some minimal level cataloging records carry an indication of LC's disposition decision. Ø5Ø 1 DISCARD¶ Ø5Ø Ø CURRENT ISSUES ONLY¶ 20. Shelf Numbers Some minimal level cataloging records carry a shelf number. Ø5Ø Ø WMLC L 82/1234¶ Ø5Ø Ø WMLC F 82/976¶

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
*Ø55				CALL NUMBERS/CLASS NUMBERS ASSIGNED IN CANADA	yes	R/M	L	NLC uses LC classification with specially developed schedules for Canadian history, literature and law.
	Ø			No information provided				
	Ø			Item is in NLC		M/M		NLC uses Ø55 for: 1) LC class numbers from the LC classification schedules, 2) LC-type class numbers from NLC schedules, and 3) incomplete class numbers in cases where a cutter number incorporated in the class number varies from English to French. (Incomplete class numbers are followed by an asterisk(*)).
	1			Item is not in NLC				
		Ø		LC-based call number assigned by NLC		M/M		
		1		Complete LC class number assigned by NLC				
		2		Incomplete LC class number assigned by NLC				
		3		LC-based call number assigned by contributing library				
		4		Complete LC class number assigned by contributing library				
		5		Incomplete LC class number assigned by contributing library				
		6		Other call number assigned by NLC				
		7		Other class number assigned by NLC				
		8		Other call number assigned by contributing library				
		9		Other class number assigned by contributing library				
								NLC uses Ø5Ø only when LC cataloging is available at the time it catalogs a work. Ø55 Ø1 BX743.25 Ø55 Ø1 AN Ø55 Ø2 PS8235* NOTE: NLC currently does not distribute the book number (subfield "b").
			a	Classification number	no	M/M		
			b	Item number	no	R/M		NOTE: Partial records input online by NLC contain an incomplete call number.

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø6Ø		ß		NATIONAL LIBRARY OF MEDICINE (NLM) CALL NUMBER	yes	R/M	A	Use this field for either a complete NLM call number or an NLM classification number only. Input local call number (NLC type) in tag Ø96. When inputting 1. Input the data exactly as it appears on the worksheet, including any spacing indicated. NOTE: Do not use subfield "b". Subfield "a" should include the entire call number. 2. Delete any brackets and any designation such as "DNLM" that may occur. Ø6Ø W1 R1217 ǂ Ø6Ø WX 2 JJ3 S5 ǂ On cataloging data supplied by NLM, the NLM call number may follow the NLM subject headings. Input the call number as a separate field. On source document [DNLM: 1. Brain Damage, Chronic--in infancy and childhood. 2. Psychological Tests--in infancy and childhood. W1 NO217D] Input as: Ø6Ø W1 NO217D ǂ 65Ø 2 Brain Damage, Chronic ǂx in infancy and childhood. ǂ 65Ø 2 Psychological Tests ǂx in infancy and childhood. ǂ
	ß			Blank (obsolete; used before definition of "Ø" and "1")				
	Ø			Item is in NLM				
	1			Item is not in NLM				
			a	NLM classification number	yes	M/M		
			b	Book number	no	R/M		

	TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODES CODE	LOCKED FIELD CODE	INSTRUCTIONS
*	Ø72	⊬			SUBJECT CATEGORY CODE	yes	O/M	A	This field contains a subject category code.
			Ø		National Agricultural Library subject category code list				The second indicator specifies the source list of the code. The National Agricultural Library subject category number represents the broad subject area to which a publication belongs, such as animal science or forestry. This number has been assigned to serial titles since January 1966.
			7		Code source is specified in subfield ǂ2				
				a	Subject category code	no			The category numbers are taken from Agriculture/Biological Subject Category List.
				x	Subject category code subdivision	yes			
				2	Code source	no			Subfield x is used when the structure of the source list being used provides subject category code subdivisions.
									Subfield 2 is used only when the second indicator is set to value "7". This subfield contains a code identifying the source list from which the subject code was assigned.
									The source codes to be used are given in Appendix T.
									Ø72 ⊬7 17 ǂx 02.1 ǂ2 cosatisc ¶ NOTE: COSATI code for navigation communication detection counter measures -- communications -- radio.

	TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MTES CODE	LOCKED FIELD CODE	INSTRUCTIONS
	* Ø71	Ø	Ø		NATIONAL AGRICULTURAL LIBRARY (NAL) COPY STATEMENT	yes	O/M	A	- This field will contain the call number and other information relating to second copies or sets held by the National Agricultural Library.
				a	NAL classification number	yes	M/M		
				b	Book number	no	R/M		- Instructions are the same as for tag Ø51 in the case of old NAL call numbers and the same as for tag Ø7Ø in the case of LC type numbers.
				c	Copy information	no	M/M		

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø82				DEWEY DECIMAL CLASSIFICATION NUMBER (Continued)				5. The complete DDC number may be followed by a "[B]." Input this item without brackets and code as subfield "a". Unedited data: 792'.Ø924 [B] Input as: Ø82 792/.Ø924 ǂa B ǂ Other examples illustrating this field: Ø82 Ø15.378/24/Ø973 ǂb Ø16.37 ǂ Ø82 354/.717/ØØ8232 ǂ Ø82 ǂb 296 ǂb 933 ǂ 6. Subfield "2" specifies the edition of the Dewey schedules from which the classification was assigned. If Dewey numbers are assigned from more than one edition, numbers from each edition are recorded in a separate field Ø82. Type of edition information is recorded in the first indicator. The edition number is recorded in subfield 2. Ø82 Ø Ø 888/.Ø1/Ø8 ǂ2 19 ǂ Ø82 Ø Ø 345.55/7ØØ/924 ǂa 92Ø ǂ2 19 ǂ Ø82 Ø Ø 384.54/Ø92/2 ǂa B ǂ2 19 ǂ Ø82 Ø Ø 927.914 ǂ

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODES CODE	LOCKED FIELD CODE	INSTRUCTIONS
Ø86	♭			GOVERNMENT DOCUMENT CLASSIFICATION NUMBER	yes	O/M	C	Use this field for recording the classification number assigned to a government document by a government (or intergovernmental) agency at any level, e.g., international, national, state, etc. If a number can be characterized as both a stock number (field Ø37) and a classification number, the number is recorded in field Ø86. If the nature of the number is unknown, it is recorded in field Ø37. Identifying terminology such as "Supt. of Docs. no.:" is not carried in the machine record.
		♭		See Instructions		M/M		
		* Ø		IC cat. no. (NLC local use)				
		* 1		Cat. IC, no (NLC local use)				
		* 2		QP cat. no. (NLC local use)				
		* 3		Cat. IR, no (NLC local use)				
		* 4		DSS cat. no. (NLC local use)				
		* 5		Cat. MAS, no (NLC local use)				
			a	Government document classification number	no	M/M		Subfield "2". This subfield contains a code identifying the government document classification scheme from which the number was assigned. The content of subfield "2" can be used to generate the desired display constant (e.g., "Supt. of Docs. no.:") for identifying the source of the number. The codes to be used are given in Appendix T.
			z	Cancelled/invalid government document classification number	yes			
			2	Source (i.e., government document classification scheme)	no			

Ø86 ♭♭ EP 1.2:Ai7/sum. ǂ2 sudocs ǂa
Ø86 ♭♭ TD 1.116:M G91 (v.1) ǂ2 sudocs ǂa

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MDES CODE	LOCKED FIELD CODE	INSTRUCTIONS
* Ø9Ø	⊭	⊭		LOCAL CALL NUMBER (LC-like)	yes	na	na	Use this field for LC-like class numbers or call numbers assigned by other than LC, using either the LC classification schedules or the NLC expansion of the LC schedules. Use this field also when an LC class number or call number has been modified in any way. Editorial instructions are the same as for tag Ø5Ø. This field is not maintained online but is maintained in archival records. Exception: If there is no Ø5Ø in the record, field Ø9Ø is maintained online until an Ø5Ø field is input. - This field is not output by OCLC to LC and is not distributed by the MARC Serials Distribution Service.
			a	Classification number	no	M/M		
			b	Book number	no	O/M		

Revised July/Aug. 1982 (12/82)

TAG	INDICATOR 1	INDICATOR 2	SUBFIELD CODE	NAME	REPEATABLE	MODES CODE	LOCKED FIELD CODE	INSTRUCTIONS
* Ø92		♭		LOCAL CALL NUMBER (DEWEY-like)	yes	na	na	Use this field 1) for Dewey-like class numbers assigned by other than LC or NLC, using either the Dewey Decimal Classification schedules or the NLC expansion of these schedules, 2) for an LC or NLC assigned Dewey class number that has been modified in any way, and 3) for a call number composed of an LC or NLC assigned Dewey number with locally assigned book numbers. This field is not maintained online but is maintained in archival records. Exception: If there is no Ø82 in the record, field Ø92 is maintained online until an Ø82 field is input. This field is not output by OCLC to LC and is not distributed by the MARC Serials Distribution Service. Ø92 Ø♭ 888.ØlØ8 ǂb C832 ǂ2 19
	♭			No edition information recorded				
	Ø			Full edition				
	1			Abridged edition				
	2			Abridged NST edition				
			a	Classification number	no	M/M		
			b	Book number	no	O/M		
			2	Source (i.e., classification edition number)	no	O/M		